

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Cheyenne Mountain Late Time Simulation Results

K. HAIN, G. HAIN AND J. A. FEDDER

Geophysical and Plasma Dynamics Branch Plasma Physics Division

June 7, 1985

This research was sponsored by the Defense Nuclear Agency under Subtask S99QMXBC, work unit 00118 and work unit title "Late Time Electrostatic."





NAVAL RESEARCH LABORATORY Washington, D.C.

Approved for public release; distribution unlimited

INTIC FILE COPY


THE REPORT SECURITY CLASS FICATION UNCLASSIFIED 24 SECURITY CLASSIFICATION AUTHORITY 3 DISTRIBUTION AVAILABILITY OF REPORT					
28 SECURITY CLASSIFICATION AUTHORITY 3 DISTRIBUTION AVAILABILITY OF REPORT					
2b DECLASS.F.CATION DOWNGRADING SCHEDULE Approved for public release; distrib	Approved for public release; distribution unlimited.				
4 PERFORMING ORGANIZATION REPORT NUMBER(S) 5 MONITORING ORGANIZATION REPORT NUM	MBER(S)				
NRL Memorandum Report 5565					
60 OFFICE SYMBOL TO NAME OF MONITORING ORGANIZATION 60 OFFICE SYMBOL TO NAME OF MONITORING ORGANIZATION					
Naval Research Laboratory (If applicable) Code 4780					
6c ADDRESS (City, State, and ZIP Code) 7b ADDRESS (City, State, and ZIP Code)					
to Abbress (city, State, and 21/ code)					
Washington, DC 20375-5000					
Ba NAME OF FUNDING, SPONSORING Bb OFFICE SYMBOL 9 PROCUREMENT INSTRUMENT DENTIFICATION	ON NUMBER				
ORGANIZATION (If applicable)					
Defense Nuclear Agency RAAE 8c ADDRESS (City, State, and ZIP Code) 10 SOURCE OF FUNDING NUMBERS					
8c ADDRESS (City, State, and ZIP Code) 10 SOURCE OF FUNDING NUMBERS PROGRAM PROJECT TASK	WORK UNIT				
Washington, DC 20305 ELEMENT NO. NO. NO.	ACCESSION NO				
62715H	DN320-100				
11 TITLE (Include Security Classification)					
Cheyenne Mountain Late Time Simulation Results					
12 PERSONAL AUTHOR(S) Hain, K., Hain, G. and Fedder, J.A.					
13b TIME COVERED 14 OATE OF REPORT (Year, Month, Day) 15. Interim 10/83 to $9/84$ 1985 June 7	PAGE COUNT 56				
16 SUPPLEMENTARY NOTATION This research was sponsored by the Defense Nuclear Agency under	er Subtask				
COOMYDC work wit 00119 and work with title "T at Dime Fleatment title"	·				
17 COSATI CODES 18 SUBJECT TERMS (Continue on reverse if necessary and identify by					
FIELD GROUP SUB-GROUP HANE Nuclear simula					
Nuclear weapons phenomenology : Late-time elec					
'9 ABSTRACT (Continue on reverse if necessary and identify by block number)	·				
In this report we present results for the late time evolution of the Cheyenne Mountain nuclei	an aumiasian				
scenario. Results are presented from both the DEMAG simulation code and the MELT simulati	ion code. The				
results are compared and the differences between them are explained. We conclude that the sin	nulation results				
are in good agreement.	7. 4)				
	7				
20 DISTRIBUTION AVAILABILITY OF ABSTRACT 21 ABSTRACT SECURITY CLASSIFICATION					
■ ACLASSIFED UNL MITED SAME AS RPT DOTIC USERS UNCLASSIFIED					
226 TELEPHONE (Include Area Code) 226 OFF	FICE SYMBOL				

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted All other editions are opsolete

CONTENTS

I.	INTRODUCTION 1
II.	CODE DESCRIPTION 2
III.	RESULTS 4
IV.	DISCUSSION 7
	ACKNOWLEDGMENT10
	APPENDIX A
	APPENDIX B
	APPENDIX C
	REFERENCES44



CHEYENNE MOUNTAIN LATE TIME SIMULATION RESULTS

I. INTRODUCTION

The Cheyenne Mountain nuclear detonation scenario involved a high altitude (> 150 km), large yield (> 1 M ton) nuclear explosion over the central Rocky Mountain region of the U.S. Such high altitude nuclear explosions (HANE) evolve through a number of temporal stages during which the physical description of the explosion and the effects are radically different from each other. For the simulation results presented in this report we are concerned with the last and longest period of evolution of a HANE; a period, hours in length, when the vast amount of plasma created in the explosion slowly evolves, and the ionosphere and magnetosphere return to their pre-burst condition.

The computer codes which have been developed to study the period are commonly termed "late-time electrostatic codes". There are two of these codes: the NRL code DEMAG and the MRC code MELT. The codes are "late time" because they simulate HANE phenomenology later than about 5 min after detonation. They are termed "electrostatic" because plasma motion perpendicular to the geomagnetic field is treated in terms of an electrostatic potential field. The theory for the perpendicular plasma transport for the DEMAG code has been reported in Hain and Fedder (1984). The theory for the parallel plasma transport is the usual hydrodynamic theory. The theory for the MELT code has been previously reported in Longmire and Kilb (1977) and Kilb (1977).

In this report we will discuss and compare the two codes DEMAG and MELT which use very different algorithms. We will show results of simulations from each code for the Cheyenne Mountain scenario during the Manuscript approved February 25, 1985.

temporal period of 5 to 30 minutes after burst. We will discuss the results pointing out similarities and differences between them. Finally we will briefly summarize these results and present our conclusions.

II. CODE DESCRIPTION

Although both codes, DEMAG and MELT, are designed to solve an identical set of theoretical equations, the numerical algorithms used are considerably different. The DEMAG numerical algorithm used for both neutral atmosphere and plasma transport is an "Eulerian" algorithm; the numerical grid is a constant fixed mesh. Both the plasma and the neutral gas are transported across the grid from mesh point to mesh point. The MELT code uses a "Lagrangian" algorithm for the plasma transport. That is, as plasma is transported from point to point in space, the numerical mesh points are moved along with the plasma and the same parcel of plasma remains within the same numerical cell. The neutral atmosphere in the MELT code uses a fixed "Eulerian" mesh as does the DEMAG code.

Figures 1 and 2 show the DEMAG fixed meshes for the plasma and the neutral gas, respectively, on a geomagnetic meridional plane in the Northern hemisphere. For the plasma (Fig. 1) the coordinate lines are magnetic field lines and magnetic potential lines. For the neutral gas (Fig. 2) the coordinate lines are an adapted coordinate system which tends toward a magnetic orientation at high altitudes and is spherical at low altitudes; the coordinate system is described mathematically in Appendix A. In each case the third coordinate is the rotational coordinate about the magnetic axis. Figure 3 is a similar diagram to Fig. 1 except it shows the MELT plasma mesh. Here one can clearly see the magnetic field line coordinate but the coordinate along the field is unequally spaced and is controlled by the motion of plasma along the field line. The MELT neutral

atmosphere mesh is an earth centered spherical mesh which terminates at 1500 km altitude and is not shown here.

The choice of numerical meshes for the simulations is controlled by a number of considerations. The spherical nature of the neutral atmosphere at low altitudes is required to allow the burst disrupted atmosphere to return to a sensible hydrostatic equilibrium. The distortion of the DEMAG neutral mesh at higher altitudes towards a geomagnetic mesh is designed to allow a better description of neutral gas motion as it is carried to high altitudes by the plasma.

Both codes, DEMAG and MELT, make use of a geomagnetic field aligned mesh for the plasma owing to consideration of the electrostatic nature of the plasma transport at late times. For electrostatic plasma transport the magnetic field is considered to be constant. Moreover, plasma motion perpendicular to the field has a very special property; specifically, all plasma on a common field line (more correctly contained in a common flux tube) at a particular moment of time remains on a common field line (in a common flux tube) for all time. The plasma is said to be "frozen" to the field. A geomagnetic field line coordinate therefore is a natural choice for the plasma mesh.

The DEMAG choice of "Eulerian" transport on the geomagnetic mesh involved two considerations. First, it was felt that modern numerical methods were sufficiently accurate to adequately control numerical errors and to maintain a good approximation to the field frozen plasma motion described above. Second, Eulerian transport is inherently simpler in multiple dimensions because of the fixed numerical grid, and in such large codes, simplicity is an advantage where obtainable. The MELT code has the advantage that the Lagrangian transport exactly satisfies the field frozen plasma motion until the numerical grid becomes too distorted for further

computation. At this point the grid must be restructured which is a complex and difficult operation, and to some undetermined extent violates the field frozen condition thereby partially negating its initial advantage.

Clearly there are many possible choices to be made when developing simulation codes as complex and difficult as DEMAG and MELT. Different people will make different choices and all for good reasons. It is therefore not too surprising that two very different codes have been developed to simulate the same types of HANE problems. The quality of the codes and the different approaches can only be tested by comparing simulation results to data. In the absence of hard data, which is almost non-existent for late time HANE, the quality of simulations can only be verified by comparing results from different codes. In the case of two very different codes such as DEMAG and MELT such a comparison of results can provide a verity to the results which would otherwise be totally unattainable.

III. RESULTS

Chinal Annual Control - Branch China

In this report we show results from both the DEMAG and MELT simulations for the Cheyenne Mountain HANE scenario for the time period 300 to 1800 seconds after burst. The two simulation codes where initialized at 300 seconds with the same data set which was generated by MRC with the MICE MHD nuclear simulation code.

At 300 sec the initial blast wave from the burst has propagated far from the burst point. The large cavity in the geomagnetic field has collapsed and the magnetic field has returned to ambient values. The remnant of the HANE is a large, geomagnetic field aligned plume of plasma which extends from the northern conjugate to the southern conjugate

The lower portion of this plasma plume with plasma densities ionosphere. greater than 10^8 cm⁻³ is shown in Figs. 4 and 5. The plasma in the plume is moving at high velocities along the field lines in order to achieve a hydrostatic equilibrium and at lower altitudes in response to strong upward neutral atmospheric heave winds. The still highly disturbed neutral atmospheric densities are shown in Figs. 6 and 7. The geomagnetic field lines which contain the plasma plume pass through the equatorial plane of the magnetosphere at altitudes above one earth radius. Figure 8 which shows a contour diagram of the field line integrated densities at the geomagnetic equator shows the great size of the plasma plume at high It is more than 2000 km in width and 4000 km in depth altitudes. perpendicular to the geomagnetic field.

During the simulation the plasma in the geomagnetic field aligned plume evolves. It loses density via recombination at low altitudes in the ionosphere. The plasma moves up and down along the field lines in response to pressure and gravity forces, and also in response to the neutral atmosphere heave winds. Motion of the plume perpendicular to the geomagnetic field occurs due to gravity forces, centrifugal forces, coriolis forces, and neutral wind friction forces. The motions along the field and recombination slowly deplete the plume plasma density, while motions perpendicular to the field distort and stretch the plume onto higher latitude flux tubes or compress the plume onto lower latitude flux tubes. The plume can also drift slowly relative to the earth's rotation.

The cumulative effects of these processes on the plasma plume can be seen in Figs. 9-11 while the relaxation of the neutral atmosphere to near ambient density is seen in Fig. 12. In studying the plasma density in Figs. 9 and 10 it is noted that the maximum plasma density in the plume has

fallen by about a factor of 3 in one half hour. The plume has moved poleward (northern plume northward - southern plume southward) about 600 km. Moreover, the poleward border of the plasma plume is more diffuse and has a considerably reduced density gradient. A better picture of the poleward motion can be seen by comparing the result in Fig. 11 with the initialization in Fig. 8. In this comparison it is seen that the eastward and westward portions of the plume plasma has remained almost stationary while the center has moved upward in the equatorial plane. The motion in the ionosphere is similar. The eastward and westward portion of the plumes remain almost stationary while the center of the plume moves poleward. A comparison of Figs. 9-11 shows that the field frozen plasma motion results in higher velocities at high altitudes. As the plume moves 600 km poleward in the ionosphere the equatorial portion of the plume moves 3000 km higher.

COCCURATION AND COUNTY OF THE PROPERTY OF THE

Figures 13 and 14 show MELT results for the plasma density at 1800 secs; they are to be compared to Figs. 9 and 10 of the DEMAG results. One first notices that the maximum plasma densities in the two sets of results are very nearly the same, and that both plasma plumes appear to be decaying in a similar manner. There are, however, some differences. The poleward density gradient in the MELT results is much sharper than in DEMAG. This difference could be a result of the different numerical algorithms, that is, a result of the Eulerian algorithm in DEMAG allowing more diffusion across the geomagnetic field: or it could be the result of the more evolved poleward plume motion in DEMAG. The DEMAG plasma plume moves about twice as far poleward as does the plume in the MELT simulation. The difference in poleward motion of the two plumes will be discussed more fully later as it appears to be the major difference between the simulation results.

Comparisons between the results of the simulations for other plasma and atmospheric properties can be carried out by using the microfiche. The fiche contain plasma and neutral densities, pressure, and temperature; species densities; and plasma and neutral motions. The DEMAG results are shown starting with initial conditions at 300 sec intervals between 300 and 1800 sec. The MELT results are shown at 600 sec intervals between 600 and 1800 secs. A description of the fiche figures and layout is contained in Appendix B.

IV. DISCUSSION

The DEMAG and MELT results shown on the fiche have been compared to each other between 600 and 1800 sec. The comparison of data shows an overall agreement between results, particularly if one is interested in the high plasma density regions of the plume. Results for plasma and neutral densities, temperatures and species densities are all very similar and are approximately equal. The primary difference between the results involves the poleward and upward motion of the plume. The DEMAG plume moves faster and about twice as far poleward as the MELT plume. We think this difference in motion perpendicular to the geomagnetic field has a straightforward explanation which follows.

In both DEMAG and MELT the primary forces driving plasma motion perpendicular to the geomagnetic field are neutral drag, caused by atmospheric heave and relaxation; centrifugal forces, caused by rapid plasma motion along the curved geomagnetic field in the plume; and gravitational attraction, pulling the plasma plume downward and equatorward. For the Cheyenne Mountain simulation these three forces are initially in a very sensitive balance: the neutral drag and centrifugal

forces pushing upward, and gravity pulling downward. If either of the codes emphasizes or diminishes one of these forces relative to the other code, we would expect a difference in motion owing to alterations in the sensitive balance of the driving forces.

Figures 15 and 16 show potential plots for DEMAG and MELT, respectively, at 600 secs. Plasma flow is along the potential contours perpendicular to the geomagnetic field. The potential contours are shown on the geomagnetic equatorial plane. The reader will notice immediately that the contours near the boundaries in the two figures are decidedly different. The difference arises due to different boundary conditions for DEMAG and MELT but are not significant to the results since motion in these regions involves only incompressible flow of almost uniform ambient background ionosphere. Near the center of the plots the flow lines are much more similar.

The DEMAG results (Fig. 15) show three different regions of flow in the plasma plume. Between 6000 and 8000 km altitude there is strong upward flow near the center plane of the plume. The upward flow turns outward and then downward near the edges of the plume. This region of flow is driven by a local dominance of the centrifugal force term. At higher altitudes between 9,000 and 11,000 km the flow throughout the central portion of the plume is downward. This downward flow region is driven by a local dominance of the gravitational force term. Finally, in the highest portion of the plume, between 11,000 and 14,000 km, the flow near the central plane is again upward and is controlled by a local dominance of the neutral drag force term. (The neutral drag does not occur at these equatorial altitudes but takes place at the poleward border of the plume at lower altitudes.)

Similar flow features can be seen in the MELT results (Fig. 16). The low altitude upward flow occurs between 5500 and 7500 km altitudes. The downward flow occurs throughout the central portion of the plume between 8000 and 11,000 km. Above 11,000 km the downward flow is substantially weakened, where the DEMAG results show upward flow. These results can possibly be seen more clearly in the velocity vector diagrams shown in Figs. 17 and 18 for DEMAG and MELT, respectively.

The primary areas of disagreement in these results relate to the absence of upward flows at the highest altitudes in the MELT results and to the faster downward flow in the central plume shown in the MELT results relative to those of DEMAG. The reason for these differences is shown in Figs. 19-22.

Figures 19 and 20 show the neutral atmospheric densities on the central meridional plane at 600 sec for both the northern and southern conjugate regions. Of particular interest is the large atmospheric density above 1500 km altitude (the top of the MELT neutral grid) which occurs in The high neutral density, because of its great extent both hemispheres. along the geomagnetic field, can be very effective in enhancing the neutral drag force term in DEMAG relative to that in MELT. Figures 21 and 22 show that the neutral velocities at these high altitudes are primarily upward and poleward relative to the geomagnetic field, and therefore the enhanced neutral drag force term would strengthen upward and poleward plume Since this force occurs at altitudes above 1500 km the MELT motion. results do not account for it and therefore the MELT plume experiences less Increasing the MELT neutral atmospheric grid to poleward acceleration. roughly double its present height would be expected to bring the results into much closer agreement.

At 1800 secs. Figs. 23 and 24 show potential contours and Figs. 25 and 26 show velocity vectors for DEMAG and MELT, respectively. At this late time the plasma plumes in both results are moving primarily upward and The DEMAG plasma which began moving poleward earlier and more poleward. strongly continues to move slightly faster. This continuing difference in the results can again be traced back to the more dominant neutral drag force than in the DEMAG simulation at earlier times. At this time, the centrifugal force term is dominant and is forcing the upward and poleward As the plasma motion in the plume parallel to the geomagnetic field slows and relaxes, gravitational forces will eventually dominate and will then cause the plume to fall and move equatorward. Since the DEMAG plume moves further poleward the DEMAG results indicate a more lengthy return to equilibrium than do the MELT results. More complete analysis of the complex perpendicular motion and the delicate balance of forces can be undertaken by study of the fiche entitled "POT". The fiche show potentials, velocities and force terms for the DEMAG simulations. The "POT" fiche are described in Appendix C.

In summary, we would conclude that the DEMAG and MELT simulations of the Cheyenne Mountain scenario are in good agreement. The primary disagreement involving perpendicular motion is understood and has been explained. We have also discussed the implications of that disagreement for later time evolution of the plasma plume. Both codes DEMAG and MELT appear to provide reasonably accurate results for the late time evolution of a high altitude nuclear explosion.

ACKNOWLEDGMENT

This research has been supported by the Defense Nuclear Agency.

Appendix A

This appendix discusses the derivation of the NRL DEMAG coordinate system for the neutral atmosphere. For reasons discussed in the text, this coordinate systems tends to dipolar magnetic coordinates at high altitudes and tends to a spherical coordinate system at low altitudes.

We consider a function of $f(y, r, \theta) = 0$ where y is a coordinate line description, r is the geometric radius normalized to the earth radius and θ is the geomagnetic colatitude. Moreover, we require f to be a monotone function of r and θ , for η positive. The unit vectors perpendicular to η are given by

$$e_r = \frac{\partial f}{\partial r} / \sqrt{(\partial f/\partial r)^2 + (1/r \partial f/\partial \theta)^2}$$

$$e_9 = \frac{1}{r} \frac{\partial f}{\partial \theta} / \sqrt{(\partial f/\partial r)^2 + (1/r \partial f/\partial \theta)^2}$$

We now require that

$$e_r = 0$$
 at $r = 1$ (earths surface)

$$e_{\theta} = 0$$
 at $\theta = \frac{\pi}{2}$ (magnetic equator)

A simple function which satisfies these conditions is

$$f = \frac{(r-1)^{\varepsilon}}{(n-1)^{\varepsilon-1}} - (n \sin^2 \theta - 1) \text{ for } \varepsilon > 1.$$

For ϵ = 1, f describes a dipolar coordinate line; whereas for ϵ = ∞ , f describes a radial coordinate line. For the DEMAG neutral mesh, we use ϵ = 2.

To numerically generate the grid we construct a coordinate line through the burst point and compute its total length. We subdivide this coordinate line to obtain one set of coordinates and then construct an orthogonal mesh to each side of this base coordinate line. The resulting mesh is displayed in figure 2.

The neutral boundary conditions are reflecting at 100 km altitude and out-flow on the other boundaries.

Appendix B

Tables 31 and B2 show the layout of the plots on the microfiche for the DEMAG and MELT results, respectively. The NRL fiche show the DEMAG results at 300 sec intervals between 300 and 1800 sec. The MRC fiche show the MELT results at 600 sec intervals between 600 and 1800 sec.

The quantities N_e , v_1 , and Ψ are the field line integrated density, the perpendicular to B velocity and the electrostatic potential, respectively, plotted on the geomagnetic equatorial plane. n, P, and T are the density, pressure, and temperature, respectively. (N), (S), and (V) indicate the northern conjugate, southern conjugate meridional plane, and a vertical plane 5300 km north of the equator through the burst region and perpendicular to the central meridional plane. Subscripts e, p, i, N and v indicate electrons, plasma, ions, neutrals, and N_2 vibrational state, respectively.

Individual constituents enclosed in brackets, such as $\{N^+\}$ indicate species concentrations. A arrow, +, designates a vector plot and a star, *, signifies an expanded view of the burst and conjugate regions. A double star, **, indicates a unit vector plot to show flow directions. For the vertical plane velocities, v_x , v_y , and v_z show velocities in the meridional, longitudinal and vertical direction, respectively. For the MRC fiche a parallel, 1, designates velocities parallel to the magnetic field.

All quantities are plotted in cgs units.

Table B1—NRL CHEYENNE

v _z (V)	(V) N	(n) ^N ^			
I N V I	u _N (v)	P _N (V)	$T_N(V)$	T _v (V)	v _x (V)
(0 ⁵](8)	[0 ₂](N)	(s)[on]	(N)[ON]	v (S)	v (N)
$T_{v}(N)$	(S)[N]	N	(s)[o]	(N)[O]	$[N_2](S)$ $\stackrel{\downarrow}{v}_n(N)$
	(N) ^N u	P _N (S)	P _N (N)	T _N (S)	T _N (N)
$[0]_{2}^{+}(N)$	(s)[₁₀₀	[NO ₊](N)	v _p (S)	(N)	(S) ^N u
T ₁ (S)	T ₁ (N)	[N ⁺](S)	(N)[_{N+}]	[0 ₊](s)	[0 ⁺](N)
* u (S)	n (N)	n _e (N)	P _p (S)	P _p (N)	T _e (S)
Title	Plasma grid	Neutral grid	N O	+ >	> ∙
	$n_{e}^{*}(S)$ $T_{1}(S)$ $(0)_{2}^{+}(N)$ $n_{N}^{*}(N)$ $T_{v}(N)$ $(0_{2}](S)$ $ v_{N} $	$n_{e}^{*}(S)$ $T_{1}(S)$ ${0\choose 2}^{+}(N)$ $n_{N}^{*}(N)$ $T_{v}(N)$ ${0\choose 2}{S}$ ${1\choose v}_{N}$ ${n\choose e}(N)$ ${1\choose 1}{S}$ ${1\choose 0}{S}$ ${1\choose 0}{S}$	$n_{e}^{*}(s)$ $T_{1}(s)$ $(0)_{2}^{+}(N)$ $n_{N}^{*}(N)$ $T_{v}(N)$ $(0_{2}^{-}](s)$ $1v_{N}^{-}$ $n_{e}^{*}(N)$ $T_{1}(N)$ $(n0^{+}](s)$ $n_{N}(N)$ $(n)_{1}(s)$ $(n_{1}^{-})(s)$ $n_{N}(v)$ $n_{e}^{-}(N)$ $(n^{+})(s)$ $(n0^{+})(s)$ $(n0^{+})(s)$ $(n^{+})(s)$ $(n^$	$n_{e}^{*}(S)$ $T_{1}(S)$ $(0)_{2}^{+}(N)$ $n_{N}^{*}(N)$ $T_{v}(N)$ $(0_{2}^{-})(S)$ $iv_{N}^{N}(N)$ $n_{e}^{-}(N)$ $T_{1}(N)$ $(No^{+})(S)$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Table B2--MRC CHEYENNE

v _y (V)	v _z (V)	(v) v (v)	, v v v v v v v v v v v v v v v v v v v			
(N) ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	- N	(v) _N n	$P_{N}(v) \xrightarrow{\overset{\star}{V}_{N}}(v)$	$T_N(V)$	T _v (V)	(v) x v
$[N_2](N)$	[0 ₂](S)	[0 ₂](N)	(s)(s)	(N) [ON]	, v (S)	(N) n
$T_{v}(S)$	$T_{\mathbf{v}}(N)$	[N](S)	N	(s)(o)	[0](N)	$[N_2](S)$ $\stackrel{\downarrow}{v}_n(N)$
(S) ^N u	(N) ^N u	(N) ^N u	P _N (S)	P _N (N)	$T_N(S)$	$T_N(N)$
(s)[on]	(NO ⁺)(N)	(s)[_H]	(H ⁺)(N)	v (S)	(N) d ^	u ^N (S)
T _e (N)	$T_1(S)$	$T_{1}(N)$	(N ⁺)(S)	[N ⁺](N)	(s)l ₊ 0]	[0 ⁺](N)
n _e (S)	* ne(S)	* (N)	n _e (N)	(S) d	P _p (N)	T _e (S)
	Title	Plasma grid	Neutral grid	z	۲ ۲	∌ •


Appendix C

The POT fiche show quantities related to the electrostatic potential The organization of the fiche are shown in Table Cl. quantities presented are field line integrated and are shown on the geomagnetic equatorial plane. Various quantities are described by a series of letters which indicate their identity. First letters D, T, and F signify ion-neutral drag or friction forces; transport forces including the convective derivative, coriolis forces, and centrifugal forces; and body forces including the pressure gradient and gravity, respectively. letters P and H indicate Pedersen and Hall second components, respectively. The subscripts 1 and 2 indicate the meridional and longitudinal components, respectively. The sum of the forces are signified by S1 amd S2 where S1 = DP2 + TP2 + FP2 + DH1 + TH_1 + FH1 and S2 = DP1 + TPl + FPl + DH2 + TH2 + FH2. The symbol R shows the divergence of S. The symbols C and E signify the capacitance and conductivity matrices, respectively, with the subscripts indicating which matrix element.

The theory and derivations for the quantities in the POT fiche are fully described in Hain and Fedder (1984).


Table C1-NRL POT CHEY

	DP ₂	TH ₂	c ₁₁
Title	TP ₂	FH ₂	C ₂₂
· y	FP ₂	s _l	c ₁₂
,	DH ₁	s ₂	£11
DP ₁	TH ₁	7151	₹22
TPl	FH ₁	⊽ ₂ s ₂	E ₁₂
FP ₁	DH ₂	R	




: 127

Figure 1. A plot of the geomagnetic field aligned plasma grid for the DEMAG code on a meridional plane in the northern conjugate region. The vertical scale is altitude and the horizontal scale is distance from the geomagnetic equator along the earth's surface in kilometers.



NLCY

Figure 2. A plot of the neutral atmosphere grid for the DEMAG code on a meridional plane in the northern conjugate region. The vertical and horizontal scales are identical to those in Figure 1.



MCEY

Figure 3. A plot of the "Lagrangian" geomagnetic field aligned plasma grid for the MELT code on a meridional plane in the northern conjugate. The vertical and horizontal scales are identical to those in Figure 1.





Figure 4. A contour plot of initial condition electron densities at 300 seconds on the northern conjugate central, meridion plane.

Contour levels in electrons cm⁻³ are shown at the bottom of the graph.



0- 1.0E 04 1- 5.0E 04 2- 1.0E 05 5- 3.0E 05 4- 1.0E 06 5- 3.0E 06 6- 1.0E 07 7- 3.0E 07 3- 1.0E 03 NLCY

Figure 5. A contour plot of initial condition electron densities at 300 seconds on the southern confugate central meridional plane.

Contour levels in electrons cm⁻³ are shown at the bottom of the graph.




Figure 6. A contour plot of initial conditions neutral atmospheric density at 300 seconds on the northern conjugate central meridion plane. Contour levels are shown in gauss cm⁻³ at the bottom of the graph. The sharp cutoff in atmospheric density above 1500 kilometers altitude is caused by the termination of the MICE/MELT neutral atmosphere numerical mesh.

Figure 7. A contour plot of the initial condition neutral atmospheric density at 300 seconds on the southern conjugate central meridion plane. Contour levels are shown in gauss cm⁻³ at the bottom of the graph.




Figure 8. A contour plot of the field line integrated electron density at 300 seconds on the geomagnetic eduatorial plane. Contour levels, shown at the bottom of the plot, are in electrons cm⁻². The vertical scale is kilometer altitude and the horizontal scale is kilometers longitude at the earth's surface.





Figure 9. A contour plot of the electron density in the northern conjugate central meridion plane at 1300 seconds from the DEMAG simulation. Note the northward motion of the plasma plume relative to its location at 300 seconds in Figure 4. The plasma densities have also fallen by about a factor of 3 at the lower altitudes.



0 · 1.0E 04 1 · 3.0E 04 2 · 1.0E 05 5 · 3.0E 05 4 · 1.0E 06
5 · 3.0E 06 6 · 1.0E 07 7 · 3.0E 07

Figure 10. A contour plot of the electron density in the southern conjugate central meridion plane at 1800 seconds from the DEMAG simulation. We again notice the poleward motion and the reduction of plasma density at low altitudes.




Figure 11. A contour plot of the field line integrated electron density in the geomagnetic equatorial plane at 1800 seconds from the DEMAG simulation. In comparing this plot to Figure 8 we note that the central portion of the plasma plume has moved dramatically upward and poleward. However, the eastward and westward portions of the plume have moved very little.

5 · 3.0E 14 6 · 1.0E 15 7 · 3.0E 15 8 · 1.0E 14




Figure 12. A contour plot of the neutral atmospheric density in the northern conjugate central meridion plane at 1800 seconds from the DEMAG simulation. By this time the neutral atmospheric density has almost returned to its ambient values.




Figure 13. A contour plot of the electron density from the MELT simulation in the northern conjugate central meridion plane at 1800 seconds. These results are to be compared to the DEMAG results in Figure 9.






Figure 14. A contour plot of the electron density from the MELT simulation in the southern conjugate central meridion plane at 1800 seconds. These results are to be compared to the DEMAG results in Figure 10.



4. 2. 2 CC 7. 4.9E CO 8. 7.1E CO 9. 9.3E CO A. 1.1E CO NLCY
Figure 15. A contour plot of the electrostatic potential at 600 seconds for the DEMAG simulation shown on the geomagnetic equatorial plane. The contour levels are shown at the hottom of the diagram for the potential and are in stat volts. See text for a discussion of the results.



1.-2.0E 01 2.-1.5E 01 3.-1.1E 01 4.-6.7E 00 5.-2.3E 00

6. 2.1E 00 7. 6.5E 00 8. 1.1E 01 9. 1.5E 01 A. 2.0E 01 MCI

Figure 16. A contour plot of the electrostatic potential at 600 seconds for the MELT simulation shown on the geomagnetic equatorial plane.

The contour levels are shown at the bottom of the diagram for the potential in stat volts.





Figure 17. A vector plot of the velocity perpendicular to the geomagnetic field in the equatorial plane for the DEMAG simulations at 600 seconds. The velocity scale is shown at the bottom in cm sec-1. See text for a discussion.

NLCY



UNIT LENGTH


1.9564E 05

MCEY

Figure 18. A vector plot of the velocity perpendicular to the geomagnetic field in the equatorial plane for the MELT simulation at 600

seconds. The velocity scale is shown in cm sec-1.

V-E -COMP. IMAX. 1 1.9564E 05 ALT -COMP. IMAX. 1 1.5144E 05



0. 1.0E-20 1. 1.0E-19 2. 1.0E-18 3. 1.0E-17 4. 1.0E-16

5. 1.0E-15 6. 1.0E-14 7. 1.0E-15 3. 1.0E-12 9. 1.0E-11 NLCY

Figure 19. A contour plot of the neutral atmospheric density in the northern conjugate central meridion plane for the DEMAG simulation at 600 secs. Notice the high densities above 1500 km altitude which are not considered in the MELT simulation.




Figure 20. A contour plot of the neutral atmospheric density in the southern conjugate central meridion plane for the DEMAG simulation at 600 secs. Similar comments to those for Figure 19 apply.




Figure 21. A vector plot of neutral velocity for the DEMAG simulation in the northern conjugate central meridion plane at 600 seconds.

Notice the large upward and poleward, relative to the geomagnetic field, velocities at altitudes above 1500 kilometers.




Figure 22. A vector plot of neutral velocity for the DEMAG simulation in the southern conjugate central meridion plane at 600 seconds.

Comments similar to those for Figure 21 apply.




Figure 23. A contour plot of the electrostatic potential for the DEMAG simulation in the geomagnetic equatorial plane at 1800 seconds.

Refer to the text for discussion.

ASSAU DEFENDE TOPOGRA ISSAULT AND MAINES DESIGNATIONS AND ASSAULT DE MAINTENANT.






Figure 24. A contour plot of the electrostatic potential for the MELT simulation in the geomagnetic equatorial plane at 1800 seconds.



W-E -CGMP.IMAX.1 7.0497E 04 ALT -CGMP.IMAX.1 3.7830E 05
UNIT LENGTH 3.7830E 05 --- NL

Figure 25. A vector plot of perpendicular velocities in the geomagnetic equatorial plane for 1800 seconds from the DEMAG simulation.

Refer to the text for discussion.



W-E/ALT 1.01

W-E -COMP. IMAX. 1 1.94575 05 ALT -COMP. IMAX. 1 1.4968E 05 UNIT LENGTH 1.9457E 05 MCEY

Figure 26. A vector plot of perpendicular velocities in the geomagnetic equatorial plane for 1800 seconds from the MELT simulations.

References

- Hain, K. and J. Fedder, "Electrostatic equations for large scale plasma simulation studies," NRL Memo Rept. 5385, 1984.
- Kilb, R.W., "Striation Formation," in <u>Physics of High Altitude Nuclear</u>
 Burst Effects, DNA 4501F, 1977.
- Longmire, C.L. and R.W. Kilb, "Plasma Physics," in <u>Physics of High Altitude</u>

 <u>Nuclear Burst Effects</u>, DNA 4501F, 1977.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE COMM, CMD, CONT 7 INTELL WASHINGTON, D.C. 20301

DIRECTOR

COMMAND CONTROL TECHNICAL CENTER

PENTAGON RM BE 685

WASHINGTON, D.C. 20301

G1CY ATTN C-650

O1CY ATTN C-312 R. MASON

DIRECTOR

DEFENSE ADVANCED RSCH PROJ AGENCY

ARCHITECT BUILDING

1400 WILSON BLVD.

ARLINGTON, VA. 22209

O1CY ATTN NUCLEAR

MONITORING RESEARCH

O1CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER 1860 WIEHLE AVENUE RESTON, VA. 22090 D1CY ATTN CODE R410 O1CY ATTN CODE R812

DEFENSE TECHNICAL INFORMATION CENTER CAMERON STATION ALEXANDRIA, VA. 22314

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
O1CY ATTN STVL
O4CY ATTN TITL
O1CY ATTN DDST
O3CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
O1CY ATTN FCPR

DEFENSE NUCLEAR AGENCY SAO/DNA BUILDING 20676 KIRTLAND AFB, NM 87115 O1CY D.C. THORNBURG

DIRECTOR
INTERSERVICE NUCLEAR MEAPONS SCHOOL
KIRTLAND AFR, NM 87115
O1CY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF
WASHINGTON, D.C. 20301
01CY ATTN J-3 WWMCCS EVALUATION
OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 63113
O1CY ATTN JSTPS/JLKS
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN FCPRL

UNDER SECY OF DEF FOR RSCH & ENGRG DEPARTMENT OF DEFENSE WASHINGTON, D.C. 20301
D1CY ATTM STRATEGIC & SPACE SYSTEMS (OS)

WWMCCS SYSTEM ENGINEERING ORG WASHINGTON, D.C. 20305 D1CY ATTN R. CRAWFORD

COMMANDER COMMANDER/DIRECTOR U.S. ARMY NUCLEAR AND CHEMICAL AGENCY ATMOSPHERIC SCIENCES LABORATORY 7500 BACKLICK POAD U.S. ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE, NM 88002 BLDG 2073 SPRINGFIELD, VA 22150 O1CY ATTH LIBRARY DICY ATTN DELASTED, F. NILES DIRECTOR BMD FOVANCED TECH CTR DIRECTOR U.S. ARMY PALLISTIC RESEARCH HUNTSVILLE OFFICE LABORATORY P.O. BOX 1500 ABERDEEN PROVING GROUND, MD 21005 HUNTSVILLE, AL 35807 O1CY ATTN ATC-T MELVIN T. CAPPS O1CY ATTN ATC-O W. DAVIES O1CY ATTN TECH LIBRARY, YOLAB CRAWCE DILY ATTN ATC-R DON RUSS COMMANDER U.S. ARMY SATCOM AGENCY PROGRAM MANAGER FT. MONMOUTH, NJ 07703 O1CY ATTN DOCUMENT CONTROL BMD PROGRAM OFFICE 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333 Olcy ATTN DACS-BMT J. SHEA COMMANDER U.S. ARMY MISSILE INTELLIGENCE AGENCY REDSTONE ARSENAL, AL 35809 CHIEF C-E- SERVICES DIVISION U.S. ARMY COMMUNICATIONS CMD OTCY ATTN JIM GAMBLE PENTAGON RM 18269 DIRECTOR WASHINGTON, D.C. 20310 O1CY ATTN C- E-SERVICES DIVISION U.S. APMY TRADOC SYSTEMS ANALYSIS ACTIVITY WHITE SANDS MISSILE RANGE, NM 88002 COMMANDER OTCY ATTN ATAA-SA FRADCOM TECHNICAL SUPPORT ACTIVITY O1CY ATTN TCC/F. PAYAN JR. DEPARTMENT OF THE ARMY OTCY ATTN ATTA-TAC LTC J. HESSE FORT MONMOUTH, N.J. 07703 OTCY ATTN DRSEL-NL-RD H. BENNET COMMANDER O1CY ATTN DRSEL-PL-ENV H. BOMKE NAVAL ELECTRONIC SYSTEMS COMMAND O1CY ATTN J.E. QUIGLEY WASHINGTON, D.C. 20360 O1CY ATTN NAVALEX 034 T. HUGHES COMMANDER U.S. ARMY COMM-ELEC ENGRG INSTAL AGY OTCY ATTY PME 117 FT. HUACHUCA, AZ 85613 O1CY ATTN CCC-EMEO GEORGE LANE OTCY ATTN PME 117-T OTCY ATTN CODE 5011 COMMANDER COMMANDING OFFICER U.S. ARMY FOREIGN SCIENCE & TECH CTR NAVAL INTELLIGENCE SUPPORT CTR 4301 SUITLAND ROAD, BLDG. 220 7TH STREET, NE CHARLOTTESVILLE, VA 22901 WASHINGTON, D.C. 20390 OTCY ATTN DRXST-SD OTCY ATTN MR. DUBBIN STIC 12 01CY ATTH MISC-50 01CY ATTH CODE 5404 J. GALET COMMANDER U.S. ARMY MATERIAL DEV & READINESS CMD 5001 EISENHOWER AVENUE COMMANDER NAVAL OCCEAN SYSTEMS CENTER ALEXANDRIA, VA 22333 SAN DIEGO, CA 92152

OTCY ATTN J. FERGUSON

OTCY ATTN DROLDC J.A. BENDER

NAVAL RESEARCH LABORATORY WASHINGTON, D.C. 20375 O1CY ATTN CODE 4700 S. L. Ossakow 26 CYS IF UNCLASS. 1 CY IF CLASS) ATTN CODE 4701 I Vitkovitsky O1CY ATTN XP
ATTN CODE 4780 J. Huba (50
CYS IF UNCLASS, 1 CY IF CLASS) AIR FORCE GEOPHYSICS LABORATORY 0104 O1CY CICY ATTN CODE 7500 ATTN CODE 7550 01CY ATTN CODE 7580 OICY ATTN CODE 7551 ATTN CODE 7555 DICY 01CY ATTN CODE 4730 E. MCLEAN 01 CY DICY ATTN CODE 4108 OTCY ATTN CODE 4730 B. RIPIN 20CY ATTN CODE 2628

COMMANDER NAVAL SPACE SURVEILLANCE SYSTEM DAHLGREN, VA 22448 OTCY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE NAVAL SURFACE WEAPONS CENTER WHITE OAK, SILVER SPRING, MD 20910 01CY ATTN CODE F31

DIRECTOR STRATEGIC SYSTEMS PROJECT OFFICE DEPARTMENT OF THE NAVY WASHINGTON, D.C. 20376 OTCY ATTN NSP-2141 O1CY ATTN NSSP-2722 FRED WIMBERLY

COMMANDER NAVAL SURFACE WEAPONS CENTER DAHLGREN LABORATORY DAHLGREN, VA 22448 O1CY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH ARLINGTON, VA 22217 O1CY ATTN CODE 465 ATTN CODE 461 ATTN CODE 402 01CY 01CY OTCY ATTN CODE 420 O1CY ATTN CODE 421

COMMANDER AEROSPACE DEFENSE COMMAND/DC DEPARTMENT OF THE AIR FORCE ENT AFB, CO 80912 DICY ATTN DC MR. LONG

COMMANDER AEROSPACE DEFENSE COMMAND/XPD DEPARTMENT OF THE AIR FORCE ENT AFB, CO 80912 O1CY ATTN XPDQQ

HANSCOM AFB, MA 01731 010Y ATTN OPR HAROLD GARDNER OTCY ATTN LKB KENNETH S.W. CHAMPION O1CY ATTN OPR ALVA T. STAIR O1CY ATTN PHD JURGEN BUCHAU O1CY ATTN PHD JOHN P. MULLER JOHN P. MULLEN

AF WEAPONS LABORATORY KIRTLAND AFT, NM 87117 O1CY ATTN SUL O1CY ATTN CA ARTHUR H. GUENTHER O1CY ATTN NTYCE 1LT. G. KRAJEI

AFTAC PATRICK AFB, FL 32925 OTCY ATTN TN

AIR FORCE AVIONICS LABORATORY WRIGHT-PATTERSON AFB, OH 45433 OTCY ATTN AAD WADE HUNT O1CY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF RESEARCH, DEVELOPMENT, & ACQ DEPARTMENT OF THE AIR FORCE WASHINGTON, D.C. 20330 O1CY ATTN AFRDQ

HEADQUARTERS ELECTRONIC SYSTEMS DIVISION DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01731 O1CY ATTN J. DEAS

HEADQUARTERS ELECTRONIC SYSTEMS DIVISION/YSEA DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01732 DICY ATTN YSEA

HEADQUARTERS ELECTRONIC SYSTEMS DIVISION/DC DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01731 O1CY ATTN DCKC MAJ J.C. CLARK COMMANDER EG&G, INC. P.O. BOX 809 FOREIGN TECHNOLOGY DIVISION, AFSC LOS ALAMOS DIVISION WRIGHT-PATTERSON AFB, OH 45433 OTCY ATTN NICD LIBRARY LOS ALAMOS, NM 35544 C1CY ATTN ETDP B. BALLARD OTCY ATTN DOC CON FOR J. RREEDLOVE COMMANDER UNIVERSITY OF CALIFORNIA ROME AIR DEVELOPMENT CENTER, AFSC LAWRENCE LIVERMORE LABORATORY GRIFFISS AFB, NY 13441 P.O. BOX 308 DICY ATTN DOC LIBRARY/TSLD LIVERMORE, CA 94550 O1CY ATTN OCSE V. COYNE DICY ATTN DOC CON FOR TECH INFO DEPT SAMSO/SZ O1CY ATTN DOC CON FOR L-389 R. OTT POST OFFICE BOX 92960 O1CY ATTN DOC CON FOR L-31 R. HAGER HORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 LOS ALAMOS NATIONAL LABORATORY (SPACE DEFENSE SYSTEMS) P.O. 90X 1663 LOS ALAMOS, NM 87545 DICY ATTN SZJ O1CY ATTN DOC CON FOR J. WOLCOTT O1CY ATTN DOC CON FOR R.F. TASCHEK O1CY ATTN DOC CON FOR E. JONES STRATEGIC AIR COMMAND/XPFS OFFUTT AFB, NB 68113 O1CY ATTN ADWATE MAJ BRUCE BAUER OTCY ATTN DOC CON FOR J. MALIK O1CY ATTN NRT D1CY ATTN DOC CON FOR R. JEFFRIES Olcy ATTN DOK CHIEF SCIENTIST OTCY ATTN DOC CON FOR J. ZINN O1CY ATTN DOC CON FOR P. KEATON
O1CY ATTN DOC CON FOR D. WESTERVELT
O1CY ATTN D. SAPPENFIELD SAMSO/SK P.O. BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 SANDIA LABORATORIES Olcy ATTN SKA (SPACE COMM SYSTEMS) P.O. BOX 5800 M. CLAVIN ALBUQUERQUE, NM 87115 Olcy ATTN DOC CON FOR W. BROWN Olcy ATTN DOC CON FOR A. SAMSO/MN NORTON AFB, CA 92409 THORNBROUGH (MINUTEMAN) O1CY ATTN DOC CON FOR T. WRIGHT OTCY ATTN MNNL OTCY ATTN DOC CON FOR D. DAHLGREN O1CY ATTH DOC CON FOR 3141
O1CY ATTH DOC CON FOR SPACE PROJECT COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC DIV HANSCOM AFB, MA 01731 O1CY ATTN EEP A. LORENTZEN SANDIA LABORATORIES LIVERMORE LABORATORY DEPARTMENT OF ENERGY P.O. BOX 969 LIBRARY ROOM G-042 LIVERMORE, CA 94550 WASHINGTON, D.C. 20545 OTCY ATTN DOC CON FOR B. MURPHEY O1CY ATTN DOC CON FOR A. LABOWITZ OTCY ATTN DOC CON FOR T. COOK DEPARTMENT OF ENERGY OFFICE OF MILITARY APPLICATION ALBUQUERQUE OPERATIONS OFFICE

P.O. BOX 5400

ALBUQUERQUE, NM 37115

OTCY ATTN DOC CON FOR D. SHERWOOD

OTHER GOVERNMENT

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMNICATIONS 3 INFO
ADMIN
BOULDER, CO 80303
O1CY ATTN A. JEAN (UNCLASS ONLY)
O1CY ATTN W. UTLAUT
O1CY ATTN D. GROMBIE

NATIONAL OCEANIC & ATMOSPHERIC ADMIN ENVIRONMENTAL RESEARCH LABORATORIES DEPARTMENT OF COMMERCE BOULDER, CO 80302 O1CY ATTN R. GRUBB O1CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P.O. BOX 92957
LOS ANGELES, CA 90009
O1CY ATTN I. GARFUNKEL
O1CY ATTN T. SALMI
O1CY ATTN V. JOSEPHSON
O1CY ATTN S. BOWER
O1CY ATTN D. OLSEN

O1CY ATTN L. BERRY

ANALYTICAL SYSTEMS ENGINEERING CORP 5 OLD CONCORD ROAD BURLINGTON, MA 01803 01CY ATTN RADIO SCIENCES

AUSTIN RESEARCH ASSOC., INC.
1901 RUTLAND DRIVE
AUSTIN, TX 78758
01CY ATTN L. SLOAN
01CY ATTN R. THOMPSON

BERKELEY RESEARCH ASSOCIATES, INC. P.O. BOX 983 BERKELEY, CA 94701 O1CY ATTN J. WORKMAN O1CY ATTN C. PRETTIE

BOEING COMPANY, THE
P.O. BOX 3707
SEATTLE, WA 98124
O1CY ATTN G. KEISTER
G1CY ATTN D. MURRAY
O1CY ATTN G. HALL
O1CY ATTN J. KENNEY

OTCY ATTN S. BRECHT

CHARLES STARK DRAPER LABORATORY, INC. 555 TECHNOLOGY SQUARE CAMBRIDGE, MA 02139 01CY ATTN 0.8. COX 01CY ATTN J.P. GILMORE

COMSAT LABORATORIES LINTHICUM ROAD CLARKSBURG, MD 20734 D1CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
O1CY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC.
BOX 1359
RICHARDSON, TX 75080
O1CY ATTN H. LOGSTON
O1CY ATTN SECURITY (PAUL PHILLIPS)

EOS TECHNOLOGIES, INC. 606 Wilshire Blvd. Santa Monica, Calif 90401 01CY ATTN C.B. GABBARD 01CY ATTN R. LELEVIER

ESL, INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
O1CY ATTN J. ROBERTS
O1CY ATTN JAMES MARSHALL

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GODDARD BLVD KING OF PRUSSIA
P.O. BOX 8555
PHILADELPHIA, PA 19101
01CY ATTN M.H. BORTNER
SPACE SCI LAB

GENERAL ELECTRIC COMPANY P.O. BOX 1122 SYRACUSE, NY 13201 O1CY ATTN F. REIBERT

GENERAL ELECTRIC TECH SERVICES
CO., INC.
HMES
COURT STREET
SYRACUSE, NY 13201
O1CY ATTN G. MILLMAN

SEOPHYSICAL INSTITUTE

UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701

(ALL CLASS ATTN: SECURITY OFFICER)
D1CY ATTN T.N. DAVIS (UNCLASS ONLY)
C1CY ATTN TECHNICAL LIBRARY
C1CY ATTN NEAL BROWN (UNCLASS ONLY)
STUDIES
STE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
C1CY
TA A STREET
NEEDHAM, MA 02194
O1CY ATTN DICK STEINHOF

CAMAN TO
COLORADO
COLO

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
C1CY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
150 DAVENPORT HOUSE
CHAMPAIGN, IL 61820
(ALL CORRES ATTN DAN MCCLELLAND)
01CY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
1801 NO. BEAUREGARD STREET
ALEXANDRIA, VA 22311
01CY ATTN J.M. AEIN
01CY ATTN ERNEST BAUER
01CY ATTN HANS WOLFARD
01CY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
01CY ATTN TECHNICAL LIBRARY

JAYCOR
11011 TORREYANA ROAD
P.O. BOX 85154
SAN DIEGO, CA 92138
O1CY ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
O1CY ATTN DOCUMENT LIBRARIAN
O1CY ATTN THOMAS POTEMRA
O1CY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP P.O. BOX 7463 COLORADO SPRINGS, CO 80933 O1CY ATTN T. MEAGHER

KAMAN TEMPO-JENTER FOR ADVANCED STUDIES 816 STATE STREET (P.O DRAWER QQ) SANTA BARBARA, CA 9310? O1CY ATTN DASIAC O1CY ATTN WARREN S. KNAPP O1CY ATTN WILLIAM MCNAMARA O1CY ATTN B. GAMBILL

LINKABIT CORP 10453 ROSELLE SAN DIEGO, CA 92121 01CY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC P.O. BOX 504 SUNNYVALE, CA 94088 O1CY ATTN DEPT 60-12 O1CY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC.
3251 HANOVER STREET
PALO ALTO, CA 94304
DICY ATTN MARTIN WALT DEPT 52-12
O1CY ATTN W.L. IMHOF DEPT 52-12
O1CY ATTN RICHARD G. JOHNSON
DEPT 52-12
O1CY ATTN J.B. CLADIS DEPT 52-12

MARTIN MARIETTA CORPORLANDO DIVISION
P.O. BOX 5837
ORLANDO, FL 32805
OICY ATTN R. HEFFNER

M.I.T. LINCOLN LABORATORY
P.O. BOX 73
LEXINGTON, MA 02173
O1CY ATTN DAVID M. TOWLE
O1CY ATTN L. LOUGHLIN
O1CY ATTN D. CLARK

MCDONNEL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
01CY ATTN N. HARPIS
01CY ATTN J. MOULE
01CY ATTN GEORGE MRCC
01CY ATTN W. OLGON
01CY ATTN R.W. HALPRIN
01CY ATTN TECHNICAL
LIBRARY SERVICES

MISSION RESEARCH CORPORATION 735 STATE STREET SANTA BARBARA, CA 93101 DICY ATTN P. FISCHER ATTN W.F. CREVIER 01CY 01CY ATTN STEVEN L. GUTSCHE CICY ATTN R. BOGUSCH Olcy ATTN R. HENDRICK Oldy ATTN RALPH KILB OTCY ATTN DAVE SOWLE OTCY ATTN F. FAJEN
OTCY ATTN M. SCHEIBE Ofcy ATTN CONRAD L. LONGMIRE DICY ATTN 8. WHITE Olcy ATTN R. STAGAT

MISSION RESEARCH CORP.

1720 RANDOLPH ROAD, S.E.

ALBUQUERQUE, NEW MEXICO 87106

01CY R. STELLINGWERF

01CY M. ALME

01CY L. WRIGHT

MITRE CORPORATION, THE
P.O. BOX 208
BEDFORD, MA 01730
O1CY ATTN JOHN MORGANSTERN
O1CY ATTN G. HARDING
O1CY ATTN C.E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1320 DOLLY MADISON BLYD
MCLEAN, VA 22101
01CY ATTN W. HALL
01CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP 12340 SANTA MONICA BLVD. LOS ANGELES, CA 90025 0°CY ATTN E.C. FIELD, JR. PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
318 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASS TO THIS ADDRESS)
D1CY ATTN IONOSPHERIC RESEARCH LAP

PHOTOMETRICS, INC. 4 ARROW DRIVE WOBURN, MA 01801 Ofcy ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC. P.O. BOX 3027 BELLEVUE, WA 98009 O1CY ATTN E.J. FREMOUW

PHYSICAL DYNAMICS, INC. P.O. BOX 10367 OAKLAND, CA 94610 ATTN A. THOMSON

R & D ASSOCIATES
P.O. BOX 9695

MARINA DEL REY, CA 90291

O1CY ATTN FORREST GILMORE

O1CY ATTN WILLIAM B. WRIGHT, JR.

O1CY ATTN WILLIAM J. KARZAS

O1CY ATTN H. ORY

O1CY ATTN G. MACDONALD

O1CY ATTN R. TURCO

O1CY ATTN L. DERAND

O1CY ATTN W. TSAI

RAND CORPORATION, THE 1700 MAIN STREET SANTA MONICA, CA 90406 01CY ATTN CULLEN CRAIN 01CY ATTN ED BEDROZIAN

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
O1CY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE
330 WEST 42nd STPEET
NEW YORK, NY 10036
01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.

1150 PROSPECT PLAZA
LA JOLLA, CA 92037

01CY ATTN LEWIS M. LINSON
01CY ATTN DANIEL A. HAMLIN
01CY ATTN E. FRIEMAN
01CY ATTN E.A. STRAKER
01CY ATTN CURTIS A. SMITH

SCIENCE APPLICATIONS, INC 1710 GOODRIDGE DR. MCLEAN, VA 22102 01CY J. COCKAYNE C1CY E. HYMAN

SRI INTERNATIONAL 333 RAVENSWOOD AVENUE MENLO PARK, CA 94025 O1CY ATTH UL CASPER OTCY ATTN DONALD NEILSON ATTN ALAN BURNS 01CY 31 CY ATTN G. SMITH 91 CY ATTN R. TSUNODA ATTN DAVID A. JOHNSON 01CY 01¢Y ATTN WALTER G. CHESNUT DICY ATTN CHARLES L. RINO 01CY ATTN WALTER JAYE 0104 ATTN J. VICKREY DICY ATTN RAY L. LEADABRAND 010Y ATTN G. CARPENTER 01CY ATTN G. PRICE 312Y ATTN R. LIVINGSTON GICY ATTN V. GONZALES OTCY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP 75 WIGGINS AVENUE BEDFORD, MA 01730 01CY ATTN W.P. BOQUIST

TOYON RESEARCH CO.
P.O. Box 6890
SANTA BARBARA, CA 93111
C1CY ATTN JOHN ISE, JR.
C1CY ATTN JOEL GARBARINO

TRW DEFENSE & SPACE SYS GROUP ONE SPACE PARK REDONDO BEACH, CA 90278 O1CY ATTN R. K. PLEBUCH O1CY ATTN S. ALTSCHULER O1CY ATTN D. DEE O1CY ATTN D/ STOCKWELL SNTF/1575

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MASS D1803
G1CY ATTN W. REIDY
D1CY ATTN J. CARPENTER
OTCY ATTN C. HUMPHREY
UNIVERSITY OF PITTSBURGH
PITTSBURGH, PA 15213
G1CY ATTN: N. ZABUSKY

L

DIRECTOR OF PESEARCH U.S. NAVAL ACADEMY ANNAPOLIS, MD 21402 02CY

END

FILMED

8-85

DTIC